



Caravan | Compact Class 1/2011

Technical Information



Dethleffs
A friend of the family

Dethleffs Plus factors: Only a Dethleffs caravan will give you these benefits!

Compact Class: Caravanning very easy and uncomplicated

Welcome to the new Compact Class!

In this class you will find the compact lightweights of the Dethleffs caravan range:

- Uncomplicated handling thanks to compact exterior sizes and low weight
- Easy-to-drive on narrow streets because of the less vehicle width
- Ideal for towing with small vehicles
- Fuel-efficient
- Good insulation by modern sandwich technology
- Very beneficial prices

✔ Dethleffs – an awarded choice!

As a friend of the family Dethleffs always listen to the customers' demands. Our tradition is also the involvement of our motorhomers and caravan fans in the vehicle development process. No wonder, Dethleffs take a top position for the readers' voting on a regular basis.

Current example is the "King-Customer-Award 2010" which we have received as the overall winner three times in a row.

✔ Experience and quality

When you talk about experience you must talk about Dethleffs. Finally the company founder, Arist Dethleffs, developed the "Living Car" in 1931 in Germany. Today, the 80 years' experience of leisure vehicle production is shown in the quality and smart detail solution of every caravan. Rely on the 350 competent Dethleffs authorised trade partners all over Europe.

✔ Price- / performance ratio

Surveys of several magazines confirm again and again: all those who go for a Dethleffs vehicle they will receive quality and extended equipment for a fairly calculated price.

✔ Innotenda – awnings for your Dethleffs caravan

Innotenda is the awning set which is created for Dethleffs caravans only. A collection of modern awnings with fresh and prominent design which can be built up very fast. The high quality is provided by our long lasting supplier "WIGO ZELTE" who produces in Germany and uses first-class materials.

See the Innotenda collection on: www.innotenda.de



Page	
2 - 3	Introduction Compact Class / Index
4 - 5	Compact Class:
6 - 7	Campy
8 - 9	New Line
10 - 11	Optional Extras
12	General Information



Compact Class: **CAMPY - Standard specification**

► Chassis/Base vehicle

- AL-KO Classic chassis
- Chassis zinc-plated with semi-trailing arm axle and independent wheel suspension
- Smooth running stabiliser wheel with crank handle
- Zinc-plated corner steadies
- High-quality brand tyres

► Conversion

- Aluminium smooth sides in white (option: titansilver, polarblue)
- Wall thickness/material:
Floor: 42 mm (plywood, Styropor)
Wall/roof: 34 mm (aluminium plate, Styropor, plywood)
- Two-pieces entrance door
- Entrance step
- Opening insulating window
- Access locker door O/S front (Campy 001 only)
- Integrated awning and skylight rails
- Internal height max. 194 cm / 146 cm at least
- Panorama-Thermo-roof hood with LED illuminated plinth (option)

► On-board installations

- Gas supply for 1 x 5 kg
- TRUMA gas heating (option)
- Gas control for gas hose
- Electrical water supply
- Compact Electro block with 230 V circuit breaker and 12 V fuses in wardrobe incl. powerful transformer 400 W
- CEE external socket for 230 V (on-board electrical system)

► Kitchen

- Kitchen centre with 2-burner-hob cooker and sink
- Fridge with freezer (option)
- Spacious overhead locker for kitchen

► Living comfort

- Cold foam mattress (Campy 001 only)
- Crinkle-curtains to darken the living room
- Ceilling with high-quality felt

► Bathroom

- Bathroom with washbowl and toilet (option)
- Roof fan with flyscreen

► Interior equipment

Wood: Noce Sorento with soft furnishing options:
Ischia, Borneo

Luxus Package

(65 kg)

- Kitchenblock alternative (incl. fridge and freezer)
- Truma gas heating with warm air system
- Bathroom alternative with washbowl and toilet
- Opening window rear/crossways
- Weight upgrade 900 kg


Styling Package "Standard"

(35 kg)

Conversion:

	BLUE	SILVER
► Front window	✓	✓
► Corner steadies	✓	✓
► A frame cover	✓	✓
► Manoeuvre handles, alternative	✓	✓
► Smooth sides in Polarblue-Metallic	✓	-
► Smooth sides in Titansilver-Metallic	-	✓
► Alloy wheels 185 R13	✓	✓

CAMPY



Type		Campy 001	Campy 001 Luxus	Campy 002	Campy 002 Luxus
Technical specification					
Total width	cm	213	213	213	213
Length conversion/ total length	cm	372 / 496	372 / 515	372 / 496	372 / 515
Total height / awning size	cm	250 / 712	250 / 712	250 / 712	250 / 712
Beds					
Front	cm	200x165/122	200x165/122	206x200	206x200
Lengthwise	cm	-	-	-	-
Alternative	cm	-	-	-	-
Rear	cm	-	-	-	-
Weight net	kg	629	719	629	719
Payload	kg	121	181	121	181
Mass in running order	kg	750	900	750	900
Maximum authorised weight	kg	900/1000	1000	900/1000	1000
Base / single axle (1) Tandem axle (2)		AL-KO / 1	AL-KO / 1	AL-KO / 1	AL-KO / 1
Heating		-	Truma	-	Truma
Fridge / thereof freezer compartment	l	-	86 / 10,5	-	86 / 10,5
Water incl. boiler/ waste water tank capacities	l	19 / -	19 / -	38 / 22	38 / 22
Outlets 230V		3	3	3	3

Styling Package “Sunglasses” / “Rallye” (35 kg)

Conversion:	Sunglasses	Rallye
▶ Front window	✓	✓
▶ Corner steadies	✓	✓
▶ A frame cover	✓	✓
▶ Manoeuvre handles, alternative	✓	✓
▶ Application, alternative “Sunglasses”	✓	-
▶ Application, alternative “Rallye”	-	✓
▶ Smooth sides in Polarblue-Metallic	✓	✓
▶ Alloy wheels 185 R13	✓	✓

Compact Class: **NEW LINE - Standard specification**

► Chassis/Base vehicle

- BPW Vario-lightweight chassis
- Zinc-plated chassis with semi-trailing arm axle and independent wheel suspension, inertia braking system with automatic reverse
- Lightweight corner steadies
- Damper
- Side spoiler with integrated positioning lights
- Wheel trims
- High-quality tyres suitable for 100-regulation of speed

► Conversion

- Aluminium riffled sides in white, front/rear in smooth sides design
- Rear skirts in white
- Floor thickness: 42 mm, wall/roof: 28 mm
- Opening insulating window with blind and flyscreen (not for bathroom)
- Roof skylight in milky plexyglass with flyscreen
- Two-pieces entrance door
- Entrance step
- Access locker door (depending on model type), depending on layout variant additional access locker doors are available
- Integrated awning and skylight rails
- Internal height 195 cm
- Insertion possibility for wheel cover

► On-board installations

- Gas bottle box for 2 x 11 kg
- Gas box cover made off dark insulating glass matching the front shape
- Moveable waste water tank in gas box
- Electrical water supply
- Compact Electro block with 230 V circuit breaker and 12 V fuses in wardrobe including powerful transformer 240 W
- CEE external socket for 230 V (on-board electrical system)
- All supplying pipes in insulated area
- Wardrobe illumination with LED
- Trumatic S 3002 heating with automated ignition

► Kitchen

- Kitchen centre with 3-burner-hob cooker and sink
- Fridge with freezer
- Spacious drawers on smooth steel runners
- Spacious overhead locker for kitchen

► Living comfort

- Room partition (curtain/sliding door) depending on layout
- Adjustable wooden bed laths for fixed beds (not for bunk/ fold-away beds)
- Cold foam mattress for all fixed beds (not for bunk/ fold-away beds)
- Upper bunk bed equipped with security net and ladder
- Bunk bed loading capacity up to 80 kg, lower bed up to 100 kg, fold-away bed up to 50 kg

► Bathroom

- Electrical swivel toilet, depending on layout
- Handy overhead locker in bathroom
- Roof fan with flyscreen
- Shower base
- Bathroom in wood optic
- Coat hook

► Interior equipment


Wood: Noce Sorento with soft furnishing options:
Alhambra, Indigo

Touring Package

(35 kg)

- Access locker door
- Awning light
- Spare wheel bracket
- Aerial pre-wiring
- Winterhoff stabiliser
- Mini Heki
- Truma-Therme
- Flyscreen door

NEW LINE



Type		340 HK	410 DB	410 TK	420 HK
Technical specification					
Total width	cm	213	213	213	213
Length conversion/ total length	cm	402 / 531	492 / 624	492 / 624	507 / 631
Total height / awning size	cm	259 / 804	259 / 894	259 / 894	259 / 908
Beds	Front	198x150/170	198x150	198x150	198x150
	Lengthwise	-	-	-	180x90
	Alternative	-	-	-	-
	Rear	-	198x125/95	2x198x95/91	-
Weight net	kg	813	953	953	973
Payload	kg	187	147	147	127
Mass in running order	kg	1000	1100	1100	1100
Maximum authorised weight	kg	1200 B	1350 A	1350 A	1500 B
Base / single axle (1) Tandem axle (2)		BPW / 1	BPW / 1	BPW / 1	BPW / 1
Heating		Truma 3002	Truma 3002	Truma 3002	Truma 3002
Fridge / thereof freezer compartment		l 89 / 11	l 89 / 11	l 89 / 11	l 89 / 11
Water incl. boiler/ waste water tank capacities		l 44 / 22	l 44 / 22	l 44 / 22	l 44 / 22
Outlets 230V		3	2	2	3

Compact Class: **GLOBICO - Standard specification**

► Chassis/Base vehicle

- AL-KO Classic chassis
- Zinc-plated chassis with semi-trailing arm axle and independent wheel suspension
- Smooth running stabiliser wheel with crank handle
- Zinc-plated corner steadies
- Side spoiler with integrated positioning lights
- Wheel trims
- High-quality brand tyres

► Conversion

- Aluminium in rifflid sides white, Front/rear in rifflid sides
- Floor thickness: 42 mm, wall/roof: 34 mm
- Opening insulating window
- Roof skylight in milky plexiglass with flyscreen
- Two-pieces entrance door
- Entrance step
- Integrated awning and skylight rails
- Internal height 195 cm
- Insertion possibility for wheel cover

► On-board installations

- CEE exterior socket for 230 V (on-board electrical system)

► Kitchen

- Stainless steel sink + 2 x Camp-Bistro cooker
- Cooling box „Dometic CombiCool“
- Spacious overhead locker for kitchen

► Living comfort

- Decor curtains to darken the living room

► Bathroom

- Porta-Porti toilet
- Optional bathroom with washbowl and toilet
- Roof fan with flyscreen

► Interior equipment

Wood: Noce Sorento with soft furnishing:

Globico

Globico Kitchen Package

(15 kg)

(only in conjunction with installation package!)

- Fridge
- 2-burner-hob cooker

Globico Extension Package

(35 kg)


- Chest cushions
- Blind
- Overhead locker doors
- Wardrobe door
- Heki II
- A frame cover
- Flyscreen

Globico Double Bunk Bed Package

(12 kg)

- Base frame for upper bed
(available cushions are used)
- Additional cushion for 2nd bed

GLOBICO



Type		Globico 001
Technical specification		
Total width	cm	220
Length conversion/ total length	cm	366 / 514
Total height / awning size	cm	256 / 820
Beds	Front	cm
	Lengthwise	cm
	Alternative	cm
	Rear	cm
Weight net	kg	625
Payload	kg	125
Mass in running order	kg	750
Maximum authorised weight	kg	1000/1300
Base / single axle (1) Tandem axle (2)		AL-KO / 1
Heating		-
Fridge / thereof freezer compartment	l	41 / -
Water incl. boiler/ waste water tank capacities	l	5 / -
Outlets 230V		-

Globico Installation Package (12 kg)

- ▶ Voltage transformer
- ▶ Fresh water canister 19 l with pump and water tap
In kitchen (instead of 5 l canister suspended)
- ▶ Gas box for 1 x 5 kg or 2 x 2,8 kg Camping gas

Globico Bathroom Package (4 kg)

(only in conjunction with installation package!)

- ▶ Shower base
- ▶ Shower curtain
- ▶ Fixed toilet
- ▶ Washbowl

* only in conjunction with optional extra "modification set for double bed over lounge" (double bunk beds package)

Optional Extras Campy

Description	add. weight (kg)	Code	Campy 001	Campy 002
■ Chassis/ Base vehicle				
Stabiliser AL-KO AKS 1300 (only in conj. with weight upgrade 1000/1300 kg)	6	273	●	●
Weight upgrade A 900 kg (chassis ammendment necessary)	30	788	○	○
Weight upgrade A 1000 kg (chassis ammendment necessary)	30	755	○	○
Weight upgrade A 1000 kg (in conj. with Luxus package)	-			
Alloy wheels 185/70 R13 LI86	30	755	○	○
Spare wheel 185/70 R13 LI86	-	851	○	○
Spare alloy wheel 185/70 R13 LI86	18	857	○	○
Spare alloy wheel 185/70 R13 LI86	18	853	○	○
Corner steadies	3	115	○	○
A frame cover	6	434	○	○
■ Exterior				
Smooth sides Polarblue/ Titansilver Metallic (only in conj. with Styling package)	1 kg/m ²	721/659	○	○
Alternative decals "Sunglasses" or "Ralley"	-	389/710	○	○
Access locker door: O/S front 1100 x 500	5	987	○	-
Front window	5	982	○	○
Bathroom window	5	619	○	○
Panoramic skylight	2	870	○	○
Manoeuvre handle	2	754	○	○
■ Interior				
Laundry cupboards	2	866	-	○
Fire extinguisher 6 kg	8	843	○	○
Standard toilet	9	102	○	○
Alternative bathroom design	4	604	○	○
■ Furniture				
Overhead locker with doors	5	452	○	○
■ Soft furnishing				
Mattress 7-zones with 3D membrane and visco-elastic surface for double bed	-	740	○	-
Carpets (round shape shag pile optic)	5	513	○	○
Additional cushion for bed convert	3	801	○	-
■ Kitchen				
Alternative kitchen block (with fridge)	15	429	○	○
■ Installations				
Truma heating	-	139	○	○
■ Multimedia systems				
Audio exterior connection multi-funktion output 12V/220V/TV	1	611	○	○
Flatscreen bracket / pull-out	6	678	○	○
Flatscreen 19"	6	791	○	○
■ Misc				
Décor package "Kissenschlacht"	1	552	○	○

Optional Extras New Line

Description	add. weight (kg)	Code	New Line 340 HK	New Line 410 DB	New Line 410 TK	New Line 420 HK
■ Chassis/ Base vehicle						
Stabiliser Winterhoff WS 3000 D	6	638	○	○	○	○
Weight upgrade A 1100 Kg	-	358	○	●	●	●
Weight upgrade A 1200 KG	-	134	-	○	○	○
Weight upgrade B 1200 KG (chassis ammendment necessary)	20	134	○	-	-	-
Weight upgrade A 1350 KG	-	393	-	○	○	○
Weight upgrade B 1500 KG (chassis ammendment necessary)	20	136	-	○	○	○
Tyres 185 R 14 C LI102	-	830	-	●	●	●
Alloy wheel 185 R 14C LI102	-	836	○	○	○	○
Alloy wheel 185/70 R 14 LI88	-	840	○	-	-	-
Spare wheel 185 R 14 C LI102	16	831	○	○	○	○
Spare wheel 185/70 R 14 LI88	18	835	○	-	-	-
■ Exterior						
Access locker door: O/S front 750 x 300	1,7	988	○	-	○	-
O/S front 1000 x 400	2,2	989	-	○	-	○
O/S rear 560 x 1150	2,5	991	-	-	○	-
Front window	5	982	●	○	●	○
Round window with "bubble window" - design	4	996	○	○	○	○
Mini-Heki	5	786	○	○	○	○
Spare wheel bracket in gas box	1	432	○	○	○	○
■ Interior						
Flyscreen door	2,5	360	○	○	○	○
■ Soft furnishing						
Carpets - depending on fabric type	10	513	○	○	○	○
Fabric: Arabica	-	918	○	○	○	○
Borneo	-	917	○	○	○	○
Calgary	-	960	○	○	○	○
Chilli	-	916	○	○	○	○
Darwin	-	962	○	○	○	○
Ischia	-	949	○	○	○	○
Macao	-	961	○	○	○	○
Santiago	-	846	○	○	○	○
Texas	-	715	○	○	○	○
■ Kitchen						
Sliding window for kitchen	1	902	-	○	○	-
■ Installations						
3rd brake light	1	410	○	○	○	○
Awning light 12 V	1	466	○	○	○	○
Warm water supply Truma Therme 5 I	15	123	○	○	○	○
■ Multimedia systems						
Flatscreen bracket	6	678	○	○	○	○
■ Misc						
Décor package "Kissenschlacht"	1	552	○	○	○	○

Optional Extras Globico

Description	add. weight (kg)	Code	Globico
■ Chassis/ Base vehicle			
Stabiliser AL-KO AKS 1300 (only in conj. with weight upgrade 1000/1300 kg)	6	273	<input type="radio"/>
Weight upgrade A 1000 kg (chassis ammendment necessary)	30	755	<input type="radio"/>
Weight upgrade B 1300 kg (chassis ammendment necessary)	30	135	<input type="radio"/>
Alloy wheel 185/70 R13 LI86 until 1000 kg	4	851	<input type="radio"/>
Alloy wheel 185R14C LI102 from 1001 kg	4	836	<input type="radio"/>
Spare wheel 185/70 R13 LI86 until 1000 kg	16	857	<input type="radio"/>
Spare alloy wheel 185R14C LI102 from 1001 kg	18	837	<input type="radio"/>
Spare wheel 185R14C LI102 from 1001 kg	18	831	<input type="radio"/>
Spare alloy wheel 185/70 R13 LI86 until 1000 kg	16	853	<input type="radio"/>
Corner steadies	3	115	<input type="radio"/>
A frame cover	6	434	<input type="radio"/>
■ Exterior			
Rear door 1000 x 1400mm one-piece	8	928	<input type="radio"/>
Opening window rear N/S	4	157	<input type="radio"/>
Opening window mid O/S	4	162	<input type="radio"/>
Heki II	13	274	<input type="radio"/>
Mini-Heki	5	786	<input type="radio"/>
Fixing loops in floor (standard for the rear door)	2	731	<input type="radio"/>
■ Interior			
Flyscreen door	2,5	360	<input type="radio"/>
Laundry cupboards	2	866	<input type="radio"/>
Fire extinguisher 6 kg	8	843	<input type="radio"/>
Globico bathroom package (only in conj. with installation package)	4	604	<input type="radio"/>
Blinds for the windows	3	930	<input type="radio"/>
■ Furniture			
Overhead locker with door	5	452	<input type="radio"/>
Wardrobe door	-	864	<input type="radio"/>
■ Soft furnishing			
Carpets (round shape in shag pile optic)	5	513	<input type="radio"/>
Modification set double bed to lounge	10	442	<input type="radio"/>
Additional cushion for double bed	2	594	<input type="radio"/>
Additional cushion for chests	3	801	<input type="radio"/>
Fabric „Fox“	-	950	<input type="radio"/>
■ Kitchen			
Globico kitchen package: Fridge and 2-burner hob	15	5558	<input type="radio"/>
■ Installations			
Warm water supply Truma Therme 5 I (only in conj. with installation package)	15	123	<input type="radio"/>
Fresh water tank 19 l (only in conj. with 12V supply)	1	929	<input type="radio"/>
Gas heating Trumatic E 2400 (only in conj. with installation package)	5	932	<input type="radio"/>
12 V electricity supply	5	418	<input type="radio"/>
Gas supply (only in conj. with installation package)	5	931	<input type="radio"/>
■ Misc			
Décor package "Kissenschlacht"	1	552	<input type="radio"/>
Break-down kit	1	620	<input type="radio"/>

► Important information about optional extras

Please note that the pictures in this brochure represent a general overview of the possible optional fittings. Several options are only available for several models within a range.

Some of the options can change the specified standard equipment (e.g.: number of the sockets of the Autark package). For more information about the installation of optional extras and technical details please do not hesitate to contact your Dethleffs authorised dealer.

All weights are approximate values. The installation of optional extras increases the original weight of the vehicle and reduces the payload. Subject to change, errors accepted.

► **Equipment:** ● Standard specification ○ Optional extras – not possible



General information

The mass in running order according to norms 97/27 EG and EN 1645-2 includes the empty vehicle weight and following basic equipment: filled water tank, a 11 kg gas bottle (100% filled) and a cable reel.

The term "Maximum Authorised Weight" must not be exceeded when optional extras and personal items are taken into account.

The Technical Information Caravan Compact Class 01/2011 is valid from 15.08.2010. Subject to change. Errors accepted.

The sizes and weights are approximate values. The mass in running order applies for a standard model without any optional extras. Dethleffs reserve the right to alter technical and material specifications and standard equipment at any time as material and conditions demand. Previous technical specification brochure is no longer valid.

Please note: the price of Dethleffs products in various European countries will differ. This is due to differing levels of specification in the individual countries and varying rate of VAT and luxury tax.

Dethleffs GmbH & Co. KG
Arist-Dethleffs-Straße 12 · D-88316 Isny im Allgäu
www.dethleffs.de · info@dethleffs.de · Phone: 0049 7562 987 0

Dethleffs
A friend of the family